

Parts Catalog



SP


Mounted and Drag Type Offset
Leveling Disc Harrow

 **BALDAN**

▪ Index

<i>SP of 20 to 42 Discs (Spacing 175mm).....</i>	<i>4</i>
<i>SP 28 to 42 Discs Hydraulic Opening(Spacing 175mm).....</i>	<i>5</i>
<i>Table SP 28 to 42 Discs Hydraulic Opening(Spacing 175mm).....</i>	<i>6</i>
<i>SP of 20 to 42 Disc (Spacing 200 mm)</i>	<i>7</i>
<i>SP 28 to 36 Discs Hydraulic Opening(Spacing 200mm).....</i>	<i>8</i>
<i>Table SP 28 to 36 Discs Hydraulic Opening(Spacing 200mm).....</i>	<i>9</i>
<i>SP 36 and 42 Discs Hydraulic Opening (Spacing 175 mm) - “Elbow” Type</i>	<i>10</i>
<i>Table SP 36 and 42 Discs Hydraulic Opening (Spacing 175 mm) - “Elbow” Type</i>	<i>11</i>
<i>Complete Hitch Drawbar</i>	<i>12</i>
<i>Lock Handle</i>	<i>12</i>
<i>Section Disc (Spacing 175mm)</i>	<i>13</i>
<i>Section Disc (Spacing 200 mm)</i>	<i>14</i>
<i>Bearing (Grease).....</i>	<i>15</i>
<i>Bearing (Oil) (Spacing 175 mm and 200 mm).....</i>	<i>15</i>
<i>Friction Bearing (Spacing 175 mm and 200 mm)</i>	<i>16</i>
<i>Axial Bearing (Spacing 175 mm)</i>	<i>16</i>
<i>Cylinder (For SP Hydraulic Opening)</i>	<i>17</i>
<i>Cylinder (For SP Hydraulic Opening - “Elbow” Type).....</i>	<i>17</i>
<i>Stickers</i>	<i>18</i>


• SP of 20 to 42 Discs (Spacing 175mm)



Item	Code	Product description	All	SP 20	SP 24	SP 28	SP 32	SP 36	SP 42
1	5022120113-0	Complete Front Gang		1					
1	5022120114-8	Complete Front Gang			1				
1	5022120115-6	Complete Front Gang				1			
1	5022120116-4	Complete Front Gang					1		
1	5022120117-2	Complete Front Gang						1	
1	5022120118-0	Complete Front Gang							1
2	5022090259-2	Complete Rear Gang		1					
2	5022090260-6	Complete Rear Gang			1				
2	5022090261-4	Complete Rear Gang				1			
2	5022010781-4	Complete Rear Gang					1		
2	5022090263-0	Complete Rear Gang						1	
2	5022090264-9	Complete Rear Gang							1
*3	5084040023-6	Complete Hitch Drawbar	1						
4	5558070012-7	Adjustment Lock Of 1960Mm		1					
4	5558070014-3	Adjustment Lock Of 2160Mm			1				
4	5558070015-1	Adjustment Lock Of 2280Mm				1			
4	5558070016-0	Adjustment Lock Of 2450Mm					1		
4	5558070017-8	Adjustment Lock Of 2690Mm						1	1
5	5072020009-8	Adjustment Arm For Transport	1						
*6	5468010006-6	Complete Lock Handle	1						
7	5138050005-5	Wrench "L" For Hexagonal Nut 5/8"	1						
8	5138090001-0	Wrench For Hexagonal Nut 1.1/4" - 1" - 3/4" - 5/8"	2						
9	5352050043-6	Scraper Of 50,8 X 12,5 X 302Mm		14	16	20	22	26	30
10	6020010410-5	Pressure Washer 1/2" Media Industry		29	33	41	45	53	61
10	6020010410-5	Pressure Washer 1/2" Media Industry (For Export)		38	46	54	62	70	82
11	6020130108-7	Grease Fitting 1/8"	3						
12	6020310143-3	French Head Bolt 1/2" X 1.5/8" 12FW Gr2 Rt Special		29	33	41	45	53	61
12	6020310143-3	French Head Bolt 1/2" X 1.5/8" 12FW Gr2 Rt Special (For Export)		37	45	53	61	69	81
13	6020310754-7	Hexagonal Nut 1/2" 12FW Gr5 Ch.7/8" Height 12,00Mm		29	33	41	45	53	61
13	6020310754-7	Hexagonal Nut 1/2" 12FW Gr5 Ch.7/8" Height 12,00Mm (For Export)		38	46	54	62	70	82
14	5432040003-4	Square Head Pin Ø37,5 X 190Mm	1						
15	5432060023-8	Pin Of Ø1" X 210Mm	1						
16	6020310250-2	Hexagonal Head Bolt 1.1/4" X 12.1/2" 7F Unc1A Gr5 Rp	1						
17	5024010039-5	Smooth Washer Ø26,2 X Ø44 X 4,75Mm	4						
18	5024010130-8	Smooth Washer Ø39 X Ø66 X 4,75Mm(Galvanised)	1						
19	5024010192-8	Smooth Washer Ø30 X Ø52 X 4,75Mm(Galvanised)	2						
20	5138020001-9	Wrench For Hexagonal Nut 3/8" - 1/2"	1						
21	5432120022-5	French Head Pin Ø1" X 90Mm	1						
22	5432120073-0	French Head Pin Ø1" X 62Mm	3						
23	5432120107-8	French Head Pin Ø28 X 95Mm	2						
24	5456010022-4	Hexagonal Nut 1.1/4" 7F Unc Gr5 Key.2" Height.31,00Mm With Hole R.3/8"	1						
25	6020050116-3	Cotterpin 1/4" X 2"	4						
26	6020050122-8	Cotterpin 3/8" X 2.1/2"	1						
27	6020310054-2	Hexagonal Head Bolt 3/8" X 1" 16F Unc1A Gr2 Rt	1						
28	6020390308-4	Lock Nma - Type "R" Ø4,5 X 80Mm	4						
29	6020311057-2	Hexagonal Head Bolt 1/2" x 3" 12FW GR5 RP	1						
OPTIONAL									
29	5352050045-2	Complete Rear Scraper		7	8	10	11	13	15
29	5352050045-2	Complete Rear Scraper (For Export)		9	11	13	15	17	20
30	5352050044-4	Complete Front Scraper		7	8	10	11	13	15
30	5352050044-4	Complete Front Scraper (For Export)		9	11	13	15	17	20

* Items 3 and 6 - See page 12

• SP 28 to 42 Discs Hydraulic Opening(Spacing 175mm)




• Table SP 28 to 42 Discs Hydraulic Opening(Spacing 175mm)

Item	Code	Product description	All	SP 28	SP 32	SP 36	SP 42
1	5022011710-0	Complete Front Gang SP 28 Discs (Hydraulic Opening)		1			
1	5022011712-7	Complete Front Gang SP 32 Discs (Hydraulic Opening)			1		
1	5022011714-3	Complete Front Gang SP 36 Discs (Hydraulic Opening)				1	
1	5022011716-0	Complete Front Gang SP 42 Discs (Hydraulic Opening)					1
2	5022011709-7	Complete Rear Gang SP 28 Discs (Hydraulic Opening)		1			
2	5022011711-9	Complete Rear Gang SP 32 Discs (Hydraulic Opening)			1		
2	5022011713-5	Complete Rear Gang SP 36 Discs (Hydraulic Opening)				1	
2	5022011715-1	Complete Rear Gang SP 42 Discs (Hydraulic Opening)					1
*3	5084040023-6	Complete Hitch Drawbar	1				
4	5558070014-3	Adjustment Lock Of 2160Mm		1			
4	5558070015-1	Adjustment Lock Of 2280Mm			1		
4	5558070016-0	Adjustment Lock Of 2450Mm				1	
4	5558070017-8	Adjustment Lock Of 2690Mm					1
5	5072020009-8	Adjustment Arm For Transport	1				
6	5138050005-5	Wrench "L" For Hexagonal Nut 5/8"	1				
7	5138090001-0	Wrench For Hexagonal Nut 1.1/4" - 1" - 3/4" - 5/8"	2				
8	5138020001-9	Wrench For Hexagonal Nut 3/8" - 1/2"	1				
9	5352050043-6	Scraper Of 50,8 X 12,5 X 302Mm		20	22	26	30
10	5432040003-4	Square Head Pin Ø37,5 X 190Mm	1				
11	5432060023-8	Pin Ø1" X 210Mm	1				
12	5432080010-5	Lock Pin Ø31 X 100Mm Without Grease Fitting	2				
13	6020390308-4	Lock Nma - Type "R" Ø4,5 X 80Mm	4				
14	5484010164-1	Adjustment Lock					1
15	5530060001-7	Small Support Of Hoses	1				
*16	6020055727-4	Left Hydraulic Cylinder "D.A" Ø1.5/8" X Ø3.1/4" X 560Mm(Course) X 800Mm	1				
17	6020251195-6	High Pressure Hydraulic Hose 3/8" X 4500Mm With 1Trg And 1Trf (Sae 100R2 At	2				
18	6020310250-2	Hexagonal Head Bolt 1.1/4" X 12.1/2" 7F Unc1A Gr5 Rp	1				
19	5024010039-5	Smooth Washer Ø26,2 X Ø44 X 4,75Mm	4				
20	5024010068-9	Smooth Washer Ø13,3 X Ø35,5 X 3,00Mm					2
21	5024010130-8	Smooth Washer Ø39 X Ø66 X 4,75Mm(Galvanised)	1				
22	5024010192-8	Smooth Washer Ø30 X Ø52 X 4,75Mm(Galvanised)	2				
23	6020310760-1	Hexagonal Nut 5/8" 11F Unc Gr5 Ch.1.1/16" Height 15,00Mm	1				
24	5432010609-8	Lock Pin					1
25	5432120022-5	French Head Pin Ø1" X 90Mm	1				
26	5432120073-0	French Head Pin Ø1" X 62Mm	3				

Item	Code	Product description	All	SP 28	SP 32	SP 36	SP 42
27	5432120107-8	French Head Pin Ø28 X 95Mm	2				
28	5456010022-4	Hexagonal Nut 1.1/4" 7F Unc Gr5 Key.2" Height.31,00Mm With Hole R.3/8"	1				
29	6020010410-5	Pressure Washer 1/2" Media Industry		40	44	52	61
29	6020010410-5	Pressure Washer 1/2" Media Industry (For Export)		51	59	67	80
30	6020010412-1	Pressure Washer 5/8" Media Industry	2				
31	6020050116-3	Cotterpin 1/4" X 2"	4				
32	6020050122-8	Cotterpin 3/8" X 2.1/2"	1				
33	6020090404-7	Male Quickly Coupling 1/2"	2				
34	6020130108-7	Grease Fitting 1/8"	5				
35	6020310054-2	Hexagonal Head Bolt 3/8" X 1" 16F Unc1A Gr2 Rt	1				
36	6020310143-3	French Head Bolt 1/2" X 1.5/8" 12F W Gr2 Rt Special		40	44	52	60
36	6020310143-3	French Head Bolt 1/2" X 1.5/8" 12F W Gr2 Rt Special (For Export)		52	60	68	80
37	6020310183-2	Hexagonal Head Bolt 5/8" X 1" 11F Unc1A Gr2 Rt	1				
38	6020310754-7	Hexagonal Nut 1/2" 12F W Gr5 Ch.7/8" Height 12,00Mm		40	44	52	61
38	6020310754-7	Hexagonal Nut 1/2" 12F W Gr5 Ch.7/8" Height 12,00Mm (For Export)		51	60	68	81
39	6020311061-0	Hexagonal Head Bolt 1/2" X 3.1/2" 12F W Gr5 Rp	1				
40	6020390301-7	Lock Ø5,75 X 50Mm	1				
41	5468010300-6	Complete Lock Handle	1				
42	6020010453-9	Smooth Washer M33 Ø34 x Ø60 x 5mm	1				
43	5456010022-4	Hexagonal Nut 1.1/4" 7F Unc Gr5 Key.2" Height.31,00Mm With Hole R.3/8"	1				
44	5468010301-4	Lock Handle (Sp-28/32/36/42)	1				
45	6020311030-0	Hexagonal Head Bolt 3/8" X 5/8" 16F Unc1A Gr2 Rt	1				
Optional							
46	5352050045-2	Complete Rear Scraper		10	11	13	15
46	5352050045-2	Complete Rear Scraper (For Export)		13	15	17	20
47	5352050044-4	Complete Front Scraper		10	11	13	15
47	5352050044-4	Complete Front Scraper (For Export)		13	15	17	20


• SP of 20 to 42 Disc (Spacing 200 mm)



Item	Code	Product description	All	SP 20	SP 24	SP 28	SP 32	SP 36
1	5022120120-2	Front Grang Sp-20 Discs Spacing 200Mm		1				
1	5022120121-0	Front Grang Sp-24 Discs Spacing 200Mm			1			
1	5022120122-9	Front Grang Sp-28 Discs Spacing 200Mm				1		
1	5022120123-7	Front Grang Sp-32 Discs Spacing 200Mm					1	
1	5022120124-5	Front Grang Sp-36 Discs Spacing 200Mm						1
2	5022090268-1	Rear Frame Sp - 20 Discs Spacing 200Mm		1				
2	5022090269-0	Rear Grang Sp - 24 Discs Spacing 200Mm			1			
2	5022090270-3	Complete Rear Grang Sp - 28 Discs Spacing 200Mm				1		
2	5022090271-1	Complete Rear Grang Sp - 32 Discs Spacing 200Mm					1	
2	5022090272-0	Complete Rear Grang Sp - 36 Discs Spacing 200Mm						1
*3	5084040023-6	Complete Hitch Drawbar	1					
4	5558070012-7	Adjustment Lock Of 1960Mm		1	1			
4	5558070014-3	Adjustment Lock Of 2160Mm			1	1		
4	5558070015-1	Adjustment Lock Of 2280Mm				1	1	
4	5558070016-0	Adjustment Lock Of 2450Mm					1	1
4	5558070017-8	Adjustment Lock Of 2690Mm						1
5	5072020009-8	Adjustment Arm For Transport	1					
*6	5468010006-6	Complete Lock Handle	1					
7	5138050005-5	Wrench "L" For Hexagonal Nut 5/8"	1					
8	5138090001-0	Wrench For Hexagonal Nut 1.1/4" - 1" - 3/4" - 5/8"	2					
9	5352050043-6	Scraper Of 50,8 X 12,5 X 302Mm		14	16	20	22	26
10	6020010410-5	Pressure Washer 1/2" Media Industry		29	33	41	45	53
10	6020010410-5	Pressure Washer 1/2" Media Industry (For Export)		38	46	54	62	70
11	6020130108-7	Grease Fitting 1/8"	3					
12	6020310143-3	French Head Bolt 1/2" X 1.5/8" 12F W Gr2 Rt Special		28	32	40	44	52
12	6020310143-3	French Head Bolt 1/2" X 1.5/8" 12F W Gr2 Rt Special (For Export)		36	44	52	60	68
13	6020310754-7	Hexagonal Nut 1/2" 12F W Gr5 Ch.7/8" Height 12,00Mm		29	33	41	45	53
13	6020310754-7	Hexagonal Nut 1/2" 12F W Gr5 Ch.7/8" Height 12,00Mm (For Export)		38	46	54	62	70
14	5432040003-4	Square Head Pin Ø37,5 X 190Mm	1					
15	5432060023-8	Pin Of Ø1" X 210Mm	1					
16	6020310250-2	Hexagonal Head Bolt 1.1/4" X 12.1/2" 7F Unc1A Gr5 Rp	1					
17	5024010039-5	Smooth Washer Ø26,2 X Ø44 X 4,75Mm	4					
18	5024010130-8	Smooth Washer Ø39 X Ø66 X 4,75Mm(Galvanised)	1					
19	5024010192-8	Smooth Washer Ø30 X Ø52 X 4,75Mm(Galvanised)	2					
20	5138020001-9	Wrench For Hexagonal Nut 3/8" - 1/2"	1					
21	5432120022-5	French Head Pin Ø1" X 90Mm	1					
22	5432120073-0	French Head Pin Ø1" X 62Mm	3					
23	5432120107-8	French Head Pin Ø28 X 95Mm	2					
24	5456010022-4	Hexagonal Nut 1.1/4" 7F Unc Gr5 Key.2" Height.31,00Mm With Hole R.3/8"	1					
25	6020050116-3	Cotterpin 1/4" X 2"	4					
26	6020050122-8	Cotterpin 3/8" X 2.1/2"	1					
27	6020310054-2	Hexagonal Head Bolt 3/8" X 1" 16F Unc1A Gr2 Rt	1					
28	6020390308-4	Lock Nma - Type "R" Ø4,5 X 80Mm	4					
29	6020311057-2	Hexagonal Head Bolt 1/2" x 3" 12F W GR5 RP	1					
OPTIONAL								
29	5352050045-2	Complete Rear Scraper		7	8	10	11	13
29	5352050045-2	Complete Rear Scraper (For Export)		9	11	13	15	17
29	5352050044-4	Complete Front Scraper		7	8	10	11	13
30	5352050044-4	Complete Front Scraper (For Export)		9	11	13	15	17

* Item 3 - See page 12

• SP 28 to 36 Discs Hydraulic Opening(Spacing 200mm)



* Item 1 - See page 12


* Item 2 - See Page 17

• Table SP 28 to 36 Discs Hydraulic Opening(Spacing 200mm)

Item	Code	Product description	All	SP 28	SP 32	SP 36
*1	5084040023-6	Complete Hitch Drawbar	1			
*2	6020055727-4	Left Hydraulic Cylinder "D.A" Ø1.5/8" X Ø3.1/4" X 560Mm(Course) X 800Mm	1			
3	5432080010-5	Lock Pin Ø31 X 100Mm Without Grease Fitting	2			
4	5432060023-8	Pin Ø1" X 210Mm	1			
5	5432120022-5	French Head Pin Ø1" X 90Mm	1			
6	5530060001-7	Small Support Of Hoses	1			
7	6020251195-6	High Pressure Hydraulic Hose 3/8" X 4500Mm With 1Trg And 1Trf (Sae 100R2 At - P.T.4800Psi)	2			
8	5024010130-8	Smooth Washer Ø39 X Ø66 X 4,75Mm(Galvanised)	1			
9	5138050005-5	Wrench "L" For Hexagonal Nut 5/8"	1			
10	5138090001-0	Wrench For Hexagonal Nut 1.1/4" - 1" - 3/4" - 5/8"	2			
11	5138020001-9	Wrench For Hexagonal Nut 3/8" - 1/2"	1			
12	5022011707-0	Complete Front Grang SP-28 Discs Spacing 200mm (Hydraulic Opening)		1		
12	5022011705-4	Complete Front Grang SP-32 Discs Spacing 200mm (Hydraulic Opening)			1	
12	5022011703-8	Complete Front Grang SP-36 Discs Spacing 200mm (Hydraulic Opening)				1
13	5558070014-3	Adjustment Lock Of 2160Mm		1		
13	5558070015-1	Adjustment Lock Of 2280Mm			1	
13	5558070016-0	Adjustment Lock Of 2450Mm				1
13	5558070017-8	Adjustment Lock Of 2690Mm				
14	5468010300-6	Complete Lock Handle	1			
15	5072020009-8	Adjustment Arm For Transport	1			
16	5432040003-4	Square Head Pin Ø37,5 X 190Mm	1			
17	5432120107-8	French Head Pin Ø28 X 95Mm	2			
18	5432120073-0	French Head Pin Ø1" X 62Mm	3			
19	5022011708-9	Complete Rear Grang SP-28 Discs Spacing 200mm (Hydraulic Opening)		1		
19	5022011706-2	Complete Rear Grang SP-32 Discs Spacing 200mm (Hydraulic Opening)			1	
19	5022011704-6	Complete Rear Grang SP-36 Discs Spacing 200mm (Hydraulic Opening)				1
20	5352050043-6	Scraper Of 50,8 X 12,5 X 302Mm		18	22	22
21	5024010192-8	Smooth Washer Ø30 X Ø52 X 4,75Mm(Galvanised)	2			
22	5024010039-5	Smooth Washer Ø26,2 X Ø44 X 4,75Mm	4			
23	6020050122-8	Cotterpin 3/8" X 2.1/2"	1			
24	6020050116-3	Cotterpin 1/4" X 2"	4			
25	5456010022-4	Hexagonal Nut 1.1/4" 7F Unc Gr5 Key.2" Height.31,00Mm With Hole R.3/8"	1			
26	6020310250-2	Hexagonal Head Bolt 1.1/4" X 12.1/2" 7F Unc1A Gr5 Rp	1			
27	6020310054-2	Hexagonal Head Bolt 3/8" X 1" 16F Unc1A Gr2 Rt	1			
28	6020310183-2	Hexagonal Head Bolt 5/8" X 1" 11F Unc1A Gr2 Rt	1			

Item	Code	Product description	All	SP 28	SP 32	SP 36
29	6020130108-7	Grease Fitting 1/8"	5			
30	6020010412-1	Pressure Washer 5/8" Media Industry		6	6	8
31	6020010410-5	Pressure Washer 1/2" Media Industry		37	45	45
31	6020010410-5	Pressure Washer 1/2" Media Industry (For Export)		52	60	68
32	6020310754-7	Hexagonal Nut 1/2" 12F W Gr5 Ch.7/8" Height 12,00Mm		37	45	45
32	6020310754-7	Hexagonal Nut 1/2" 12F W Gr5 Ch.7/8" Height 12,00Mm (For Export)		53	61	69
33	6020310143-3	French Head Bolt 1/2" X 1.5/8" 12F W Gr2 Rt Special		36	44	44
33	6020310143-3	French Head Bolt 1/2" X 1.5/8" 12F W Gr2 Rt Special (For Export)		52	60	68
34	6020390308-4	Lock Nma - Type "R" Ø4,5 X 80Mm	4			
35	6020090404-7	Male Quickly Coupling 1/2"	2			
36	6020310760-1	Hexagonal Nut 5/8" 11F Unc Gr5 Ch.1.1/16" Height 15,00Mm		5	5	9
37	6020010453-9	Smooth Washer M33 Ø34 x Ø60 x 5mm	1			
38	5456010022-4	Hexagonal Nut 1.1/4" 7F Unc Gr5 Key.2" Height.31,00Mm With Hole R.3/8"	1			
39	5468010301-4	Lock Handle (Sp-28/32/36/42)	1			
40	6020311030-0	Hexagonal Head Bolt 3/8" X 5/8" 16F Unc1A Gr2 Rt	1			
Optional						
41	5352050045-2	Complete Rear Scraper		7	8	10
41	5352050045-2	Complete Rear Scraper (For Export)		9	11	13
42	5352050044-4	Complete Front Scraper		7	8	10
42	5352050044-4	Complete Front Scraper (For Export)		9	11	13

• **SP 36 and 42 Discs Hydraulic Opening (Spacing 175 mm) - "Elbow" Type**



* Item 1 - See page 12


* Item 2 - See page 17

• Table SP 36 and 42 Discs Hydraulic Opening (Spacing 175 mm) - "Elbow" Type

Item	Code	Product description	All	SP 36 Discs	SP 42 Discs
*1	5084040023-6	Complete Hitch Drawbar	1		
*2	6020059174-0	Hydraulic Cylinder "D.A" Ø1.5/8" X Ø3.1/4" X 340mm(Course) X 612mm(Closed)	1		
3	5022012134-5	Complete Front Gang SP 36 Discs Spacing 175mm(Hydraulic Opening)		1	
3	5022012136-1	Complete Front Gang SP 42 Discs Spacing 175mm(Hydraulic Opening)			1
4	5022012135-3	Complete Rear Gang SP 36 Discs Spacing 175mm(Hydraulic Opening)		1	
4	5022012137-0	Complete Rear Gang SP 42 Discs Spacing 175mm(Hydraulic Opening)			1
5	5572017881-7	Gangs Beam		1	
5	5572018009-9	Gangs Beam			1
6	5040010963-7	Rear Stabilizer Bar	1		
7	5040010964-5	Front Stabilizer Bar	1		
8	6020058712-2	Wrench For Hexagonal Nuts de 1/2"	1		
9	6020058710-6	Wrench For Hexagonal Nut 5/8"	2		
10	5138090001-0	Wrench For Hexagonal Nut 1.1/4" - 1" - 3/4" - 5/8"	2		
11	5138020001-9	Wrench For Hexagonal Nut 3/8" - 1/2"	1		
12	5138010017-0	Wrench For Hexagonal Nut Ø5/8"-Ø1.1/2" And Bolt Ø3/8"-Ø5/8"	1		
13	5352050043-6	Scraper Of 50,8 X 12,5 X 302Mm		26	30
14	6020130108-7	Grease Fitting 1/8"	6		
15	6020311234-6	Self-Locking Nut With Nylon 1.1/2" 6F Unc Gr5 Ch.2.1/4" H.39Mm	3		
16	6020010412-1	Pressure Washer 5/8" Media Industry		4	8
17	5024010671-7	Smooth Washer Ø39 X Ø66 X 9,50Mm(Galvanised)	4		
18	5348050009-8	Complete Limiter Of Ø42 X 49,5Mm	2		
19	6020130112-5	Grease Fitting 1/8"	1		
20	5024010672-5	Smooth Washer Ø10,5 X Ø24 X 4,75mm	2		
21	6020311087-4	Hexagonal Head Bolt 5/8" X 4.1/2" 11F Unc1A Gr5 Rp	1		
22	6020310596-0	French Head Pin Ø1" X 90mm	1		
23	5432080039-3	Lock Pin Ø31,5 X 130Mm Without Grease Fitting	1		
24	6020310960-4	Square Head Pin Ø37,5 X 190mm	1		
25	6020310608-7	French Head Pin Ø1" X 62mm	3		
26	5372011030-6	Hose Ø3/8" X 4500Mm With 1Trg And 1Trf With Male Quickly Coupling(Hydraulic Opening)	2		
27	5024010039-5	Smooth Washer Ø26,2 X Ø44 X 4,75Mm	4		
28	6020310760-1	Hexagonal Nut 5/8" 11F Unc Gr5 Ch.1.1/16" Height 15,00Mm		2	4
29	6020390308-4	Lock Nma - Type "R" Ø4,5 X 80Mm	4		
30	5530060001-7	Small Support Of Hoses	1		
31	5072020009-8	Adjustment Arm For Transport	1		


Item	Code	Product description	All	SP 36 Discs	SP 42 Discs
32	5432080035-0	Lock Pin Ø31 X 90Mm Without Grease Fitting	1		
33	6020310256-1	Hexagonal Head Bolt 1.1/2" X 9" 6F UNC1A Gr5 RP	3		
34	6020310183-2	Hexagonal Head Bolt 5/8" X 1" 11F Unc1A Gr2 Rt	3		
35	6020317435-0	Self-Locking Nut With Nylon M10 X 1,50 Ma Cl8 Ch.17Mm H.10,00Mm	2		
36	5412010130-0	Reduction Nipple R.3/4" Unf X R.3/4" Unf X 35Mm Hexagonal 7/8" With Hole Ø1/16"	1		
37	5348050006-3	Complete Limiter Of Ø42 X 25Mm	2		
38	5024010192-8	Smooth Washer Ø30 X Ø52 X 4,75Mm(Galvanised)	2		
39	5024010068-9	Smooth Washer Ø13,3 X Ø35,5 X 3,00Mm		52	60
40	6020310143-3	French Head Bolt 1/2" X 1.5/8" 12FW Gr2 Rt Special		52	60
41	6020310754-7	Hexagonal Nut 1/2" 12FW Gr5 Ch.7/8" Height 12,00Mm		52	60
42	6020010410-5	Pressure Washer 1/2" Media Industry		52	60
43	6020030175-0	Right Chock Absorber	1		
44	6020310980-9	Hexagonal Head Bolt M10 X 1,50 X 40Mm Cl8.8 Rt	2		
45	6020050116-3	Cotterpin 1/4" X 2"	3		
46	6020050122-8	Cotterpin 3/8" X 2.1/2"	1		
47	6020310659-1	Pin Ø28 X 95mm	2		
48	5432080013-0	Lock Pin Ø31 X 70Mm Without Grease Fitting(Hydraulic Opening)	1		
49	5432060023-8	Pin Ø1" X 210Mm	1		

• Complete Hitch Drawbar




Item	Code	Product description	All
1	5040010075-3	Hitch Transversal Bar	1
2	5084030008-8	Hitch Drawbar	1
3	6020311135-8	Hexagonal Head Bolt 1" X 5" 8F Unc1A Gr5 Rp	2
4	6020010420-2	Pressure Washer 1" Media Industry	3
5	6020310778-4	Hexagonal Nut 1" 8F Unc Gr5 Ch.1.5/8" Height 25,00Mm	3
6	5332010094-8	Hitch Shackle	1
7	6020311139-0	Hexagonal Head Bolt 1" X 6.1/2" 8F Unc1A Gr5 Rp	1

• Lock Handle



Item	Code	Product description	All
1	6020050114-7	Cotterpin 1/4" X 1.1/2"	1
2	5170020028-4	Lock Handle Support	1
3	6020311030-0	Hexagonal Head Bolt 3/8" X 5/8" 16F Unc1A Gr2 Rt	1
4	6020310825-0	French Head Pin Ø8,3 X 25Mm	1
5	5432060017-3	Pin Of Ø19 X 110Mm With Plate	1
6	5090020011-8	Complete Lock Handle	1
7	6020010453-9	Smooth Washer M33 Ø34 x Ø60 x 5mm	1
8	5456010022-4	Hexagonal Nut 1.1/4" 7F Unc Gr5 Key.2" Height.31,00Mm With Hole R.3/8"	1
9	6020250372-4	Torsion Helical Spring Ø26 X Ø36 X 78Mm Wire=Ø5Mm	1
10	6020050101-5	Cotterpin 1/8" X 1"	1

• Section Disc (Spacing 175mm)




* Item 3 - Bearing (Grease) and Radial Bearing (Oil) - See page 15

* Item 3 - Friction Bearing and Axial Bearing (Oil) - See page 16

Item	Code	Product description	All	SP 20	SP 24	SP 28	SP 32	SP 36	SP 42
1	5120010013-5	Spool Of 172Mm For Shaft Of 1.1/4"		14	16	20	20	24	28
2	5232050136-9	Shaft Ø1.1/4" X 1180Mm						6	
2	5232050137-7	Shaft Ø1.1/4" X 1390Mm				4			
2	5232050056-7	Shaft Ø1.1/4" X 1425Mm					4		
2	5232050058-3	Shaft Ø1.1/4" X 1600Mm					4	4	2
2	5232050059-1	Shaft Ø1.1/4" X 1775Mm	2						
2	5232050138-5	Shaft Ø1.1/4" X 2000Mm	2						
2	5232050061-3	Shaft Ø1.1/4" X 2155Mm			2				2
2	5232050197-0	Shaft Ø1.1/4" X 2400Mm			2				
2	5232050063-0	Shaft Ø1.1/4" X 2500Mm				2			
*3	5368010129-5	Complete Front/Rear Grease Bearing Of 190Mm Without Protection For Shaft Ø1.1/4"	4	6	6	8	8	8	10
*3	5368010131-7	Complete Front/Rear Oil Bearing Of 190Mm Without Protection For Shaft Ø1.1/4"	4	6	6	8	8	8	10
*3	5368020013-7	Complete Friction Bearing Of 190Mm With Shaft Ø1.1/4"	4	6	6	8	8	8	10
*3	5368010405-7	Complete Axial (Oil) Front/Rear Bearing Of 190Mm Without Protection For Shaft Ø1.1/4"	4	6	6	8	8	8	10
4	5558050004-7	Lock Of Nut Of Shaft	4	4	4	4	8	8	8
5	6010601053-9	Concave Stop Washer For Shaft Ø1.1/4"	2	2	2	4	4	4	4
6	6010601054-7	Convex Stop Washer For Shaft Ø1.1/4"	2	2	2	4	4	4	4
7	6020010410-5	Pressure Washer 1/2" Media Industry	4	4	4	8	8	8	8
8	6020310754-7	Hexagonal Nut 1/2" 12FW Gr5 Ch.7/8" Height 12,00Mm	4	4	4	8	8	8	8
9	6020310793-8	Hexagonal Nut 1.1/4" 7F Unc Gr5 Ch.2" Height 31,00Mm	4	4	4	8	8	8	8
10	6020312060-8	Hexagonal Head Bolt 1/2" X 2.1/4" 12FW Gr5 Rp	4	4	4	8	8	8	8
11	2661340181-3	Concave Plain Disc Blade 18 X 3,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2661360181-2	Concave Plain Disc Blade 18 X 3,50 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2661390181-6	Concave Plain Disc Blade 18 X 4,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2661400181-9	Concave Plain Disc Blade 18 X 4,50 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2761340181-0	Concave Notched Disc Blade 18 X 3,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2761360181-9	Concave Notched Disc Blade 18 X 3,50 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2761390181-2	Concave Notched Disc Blade 18 X 4,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2663360181-9	Concave Plain Disc Blade 20 X 3,50 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2663390181-2	Concave Plain Disc Blade 20 X 4,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2663400181-5	Concave Plain Disc Blade 20 X 4,50 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2663420181-4	Concave Plain Disc Blade 20 X 5,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2663430181-9	Concave Plain Disc Blade 20 X 6,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2763340181-6	Concave Notched Disc Blade 20 X 3,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2763360181-5	Concave Notched Disc Blade 20 X 3,50 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2763390181-9	Concave Notched Disc Blade 20 X 4,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2763400181-1	Concave Notched Disc Blade 20 X 4,50 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2763420181-0	Concave Notched Disc Blade 20 X 5,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2763430181-5	Concave Notched Disc Blade 20 X 6,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2665360181-5	Concave Plain Disc Blade 22 X 3,50 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2665390181-9	Concave Plain Disc Blade 22 X 4,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2665400181-1	Concave Plain Disc Blade 22 X 4,50 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2665420181-0	Concave Plain Disc Blade 22 X 5,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2665430181-5	Concave Plain Disc Blade 22 X 6,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2765360181-1	Concave Notched Disc Blade 22 X 3,50 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2765390181-5	Concave Notched Disc Blade 22 X 4,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2765400181-8	Concave Notched Disc Blade 22 X 4,50 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2765420181-7	Concave Notched Disc Blade 22 X 5,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
11	2765430181-1	Concave Notched Disc Blade 22 X 6,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	42	
12	2659340181-1	Concave Plain Disc Blade 16 X 3,00 Hc Rd 1.1/4 Single Bevel	2						
12	2659390181-4	Concave Plain Disc Blade 16 X 4,00 Hc Rd 1.1/4 Single Bevel	2						
12	2759340181-8	Concave Notched Disc Blade 16 X 3,00 Hc Rd 1.1/4 Single Bevel	2						
13	5024010298-3	Smooth Washer Ø17 X Ø44 X 4,75Mm (Galvanized)		8	12	12	16	16	20
14	6020010412-1	Pressure Washer 5/8" Media Industry		8	12	12	16	16	20
15	6020310760-1	Hexagonal Nut 5/8" 11F Unc Gr5 Ch. 1.1/16" Height 15,00Mm		8	12	12	16	16	20
16	6020312010-1	French Head Bolt 5/8" X 2.1/4" 11F Unc 1A Gr5 Rp With Lock		8	12	12	16	16	20

• Section Disc (Spacing 200 mm)




* Item 3 - Bearing (Grease) and Bearing (Oil) - See page 15

* Item 3 - Friction Bearing and Axial Bearing - See page 16


Item	Code	Product description	All	SP 20	SP 24	SP 28	SP 32	SP 36
1	5120010019-4	Spool Of 200Mm For Shaft Of 1.1/4"		12	16	16	20	18
2	5232050136-9	Shaft Ø1.1/4" X 1180Mm						6
2	5232050137-7	Shaft Ø1.1/4" X 1390Mm				4		
2	5232050056-7	Shaft Ø1.1/4" X 1425Mm					4	
2	5232050058-3	Shaft Ø1.1/4" X 1600Mm					4	4
2	5232050059-1	Shaft Ø1.1/4" X 1775Mm	2					
2	5232050138-5	Shaft Ø1.1/4" X 2000Mm	2					
2	5232050061-3	Shaft Ø1.1/4" X 2155Mm		2				
2	5232050197-0	Shaft Ø1.1/4" X 2400Mm		2				
2	5232050063-0	Shaft Ø1.1/4" X 2500Mm				2		
*3	5368010137-6	Complete Front/Rear Grease Bearing Of 200Mm Without Protection For Shaft Ø1.1/4"	6	6	8	8	12	
*3	5368010139-2	Complete Front/Rear Oil Bearing Of 200Mm Without Protection For Shaft Ø1.1/4"	6	6	8	8	12	
*3	5368020013-7	Complete Friction Bearing Of 190Mm With Shaft Ø1.1/4"	4	6	6	8	8	
4	5558050004-7	Lock Of Nut Of Shaft	4	4	4	8	8	
5	6010601053-9	Concave Stop Washer For Shaft Ø1.1/4"	2	2	2	4	4	
6	6010601054-7	Convex Stop Washer For Shaft Ø1.1/4"	2	2	2	4	4	
7	6020010410-5	Pressure Washer 1/2" Media Industry	4	4	4	8	8	
8	6020310754-7	Hexagonal Nut 1/2" 12F W Gr5 Ch.7/8" Height 12,00Mm	4	4	4	8	8	
9	6020310793-8	Hexagonal Nut 1/4" 7F Unc Gr5 Ch.2" Height 31,00Mm	4	4	4	8	8	
10	6020312060-8	Hexagonal Head Bolt 1/2" X 2.1/4" 12FW Gr5 Rp	4	4	4	8	8	
11	2661340181-3	Concave Plain Disc Blade 18 X 3,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2661360181-2	Concave Plain Disc Blade 18 X 3,50 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2661390181-6	Concave Plain Disc Blade 18 X 4,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2661400181-9	Concave Plain Disc Blade 18 X 4,50 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2761340181-0	Concave Notched Disc Blade 18 X 3,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2761360181-9	Concave Notched Disc Blade 18 X 3,50 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2761390181-2	Concave Notched Disc Blade 18 X 4,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2663360181-9	Concave Plain Disc Blade 20 X 3,50 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2663390181-2	Concave Plain Disc Blade 20 X 4,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2663400181-5	Concave Plain Disc Blade 20 X 4,50 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2663420181-4	Concave Plain Disc Blade 20 X 5,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2663430181-9	Concave Plain Disc Blade 20 X 6,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2763340181-6	Concave Notched Disc Blade 20 X 3,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2763360181-5	Concave Notched Disc Blade 20 X 3,50 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2763390181-9	Concave Notched Disc Blade 20 X 4,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2763400181-1	Concave Notched Disc Blade 20 X 4,50 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2763420181-0	Concave Notched Disc Blade 20 X 5,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2763430181-5	Concave Notched Disc Blade 20 X 6,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2665360181-5	Concave Plain Disc Blade 22 X 3,50 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2665390181-9	Concave Plain Disc Blade 22 X 4,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2665400181-1	Concave Plain Disc Blade 22 X 4,50 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2665420181-0	Concave Plain Disc Blade 22 X 5,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2665430181-5	Concave Plain Disc Blade 22 X 6,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2765360181-1	Concave Notched Disc Blade 22 X 3,50 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2765390181-5	Concave Notched Disc Blade 22 X 4,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2765400181-8	Concave Notched Disc Blade 22 X 4,50 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2765420181-7	Concave Notched Disc Blade 22 X 5,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
11	2765430181-1	Concave Notched Disc Blade 22 X 6,00 Hc Rd 1.1/4 Single Bevel	20	24	28	32	36	
12	2659340181-1	Concave Plain Disc Blade 16 X 3,00 Hc Rd 1.1/4 Single Bevel	2					
12	2659390181-4	Concave Plain Disc Blade 16 X 4,00 Hc Rd 1.1/4 Single Bevel	2					
12	2759340181-8	Concave Notched Disc Blade 16 X 3,00 Hc Rd 1.1/4 Single Bevel	2					
13	5024010298-3	Smooth Washer Ø17 X Ø44 X 4,75Mm(Galvanized)	8	12	12	16	16	
14	6020010412-1	Pressure Washer 5/8" Media Industry	8	12	12	16	16	
15	6020310760-1	Hexagonal Nut 5/8" 11F Unc Gr5 Ch.1.1/16" Height 15,00Mm	8	12	12	16	16	
16	6020312010-1	French Head Bolt 5/8" X 2.1/4" 11F Unc1A Gr5 Rp With Lock	8	12	12	16	16	

• Bearing (Grease)




Item	Code	Product description	All	Bearing - 175 mm	Bearing - 200 mm
1	5368010079-5	Spare Front/Rear Grease Bearing (Without Protection	1		
2	5080010284-4	Bearing Bushing For ShaftØ1.1/4"	1		
3	5024060042-8	Concave Washer		1	
3	5024060035-5	Concave Back Washer 200Mm			1
4	5024060043-6	Convex Washer		1	
4	5024060036-3	Washer Of 200Mm			1
5	5538010031-1	Bearing Cover	1		
6	6020350054-0	Bearing 30210	2		
7	6020350236-5	Retainer Ø49,00 X Ø76,10 X 17,50Mm (Arca 5282 Gb/ Sabo 01199 Gb)	2		
8	6020130108-7	Grease Fitting 1/8"	2		
9	6020190104-1	Gascket Ø90 X Ø134 X 1/64"	4		
10	6020310021-6	Hexagonal Head Bolt 3/8" X 1" 16F Unc1A Gr5 Rt (Phosphated)	4		
11	6020010406-7	Pressure Washer 3/8" Media Industry	4		

• Bearing (Oil) (Spacing 175 mm and 200 mm)




Item	Code	Product description	All	Without Protection	With Protection
1	5368010077-9	Spare Front/Rear Oil Bearing (Without Protection		1	
1	5368010482-0	Spare Front/Rear Oil Bearing W/Protection			1
2	5024060042-8	Concave Washer	1		
3	5024060043-6	Convex Washer	1		
4	5080010284-4	Bearing Bushing For ShaftØ1.1/4"	1		
5	5081010007-6	Hexagonal Head Plug 3/4" - R.3/8" - 19F - Bspt(Gas)	2		
6	5464010078-0	Bearing Protection			1
7	5538010031-1	Bearing Cover	1		
8	6020010404-0	Pressure Washer 5/16" Media Industry			4
9	6020010406-7	Pressure Washer 3/8" Media Industry	4		
10	6020010472-5	Washer 1199(Joinseal)-1002(Arca)	2		
11	6020190104-1	Gascket Ø90 X Ø134 X 1/64"	3		
12	6020310021-6	Hexagonal Head Bolt 3/8" X 1" 16F Unc1A Gr5 Rt (Phosphated)	4		
13	6020312020-9	Hexagonal Head Bolt 5/16" X 3/4" 18F Unc1A Gr5 Rt			4
14	6020350054-0	Bearing 30210	2		
15	6020350291-8	Retainer Ø49,00 X Ø76,00 X 17,50Mm (Arca 5304 Brg)	2		

• Friction Bearing (Spacing 175 mm and 200 mm)




Item	Code	Product description	All
1	5068010059-1	Clamp Ø5/8" X 111Mm	1
2	5368020014-5	Upper Friction Bearing	1
3	5024010298-3	Smooth Washer Ø17 X Ø44 X 4,75Mm(Galvanized)	2
4	6020310760-1	Hexagonal Nut 5/8" 11F Unc Gr5 Ch.1.1/16" Height 15,00Mm	4
5	6010600101-7	Spool With Ring	1
6	6010600061-4	Lower Friction Bearing	1
7	6020130108-7	Grease Fitting 1/8"	1

• Axial Bearing (Spacing 175 mm)



Item	Code	Product description	All
1	5368010406-5	Axial Spare Front/Rear Bearing Without Protection	1
2	5080010320-4	Axial Bearing Bushing	1
3	5024060042-8	Concave Washer	1
4	5024060043-6	Convex Washer	1
5	5080010319-0	Axial Bushing	2
6	5538010210-1	Bearing Cover	1
7	6020010992-1	Axial Gasket Ring Ø62 X Ø78Mm	2
8	6020350054-0	Bearing 30210	2
9	6020190104-1	Gaske Ø90 X Ø134 X 1/64"	3
10	6020310189-1	Allen Bolt C/C 3/8" X 1" 16F Unc1A Rt (Phosphated)	4
11	6020010406-7	Pressure Washer 3/8" Media Industry	4
12	5081010007-6	Hexagonal Head Plug 3/4" - R.3/8" - 19F - Bspt(Gas)	2


• Cylinder (For SP Hydraulic Opening)



For spare parts order, please check in the cylinder jacket (1), the following: - Baldan part number with 11 numbers, the manufacturer code, name and manufacturer date.

Item	Code	Product description	All
1	5144010528-2	Kit Jacked Ø82,55(3.1/4") x 734mm (Left)	1
2	5326020265-7	Piston Rod Ø41,27 (1.5/8") x 671,5MM	1
3	5236010012-0	Piston Plung 026,72 X Ø81,95 X 50MM	1
4	5152010014-1	Piston Coupling Ø41,10 X Ø90,5 X 66MM	1
5	5456050003-6	Cylindric Nut Ø3.3/4" - 12fpp	1
6	5024010323-8	Smooth Washer Ø27 X Ø44,5 X 4,75Mm	1
7	6020310804-7	Self-Locking Nut With Nylon 1" 14F Uns Gr5 Ch.1.1/2" H.28,50Mm	1
8	6020390118-9	Plastic Cover 21S - Pebd	2
9	6020190066-5	Repair Kit For Hydraulic Cyliders "D.A" 1.5/8" X 3.1/4"	1


• Cylinder (For SP Hydraulic Opening - "Elbow" Type)



For spare parts order, please check in the cylinder jacket (1), the following: - Baldan part number with 11 numbers, the manufacturer code, name and manufacturer date.

Item	Code	Product description	All
1	6020059175-8	Jacket Ø82,55 (3.1/4") x 515,5mm	1
2	6020150170-1	Piston Rod Ø41,27 (1.5/8") x 472mm	1
3	5236010004-9	Piston Plung Ø26,72 X Ø81,95 X 60MM	1
4	6020058783-1	Piston Coupling Ø41,70 x Ø90,5 x 61mm	1
5	5456050003-6	Piston Nut Ø3.3/4" - 12fpp	1
6	5024010323-8	Smooth Washer Ø27 X Ø44,5 X 4,75Mm	1
7	6020310804-7	Self-Locking Nut With Nylon 1" 14F Uns Gr5 Ch.1.1/2" H.28,50Mm	1
8	6020390042-5	Plastic Cover Bt-21	2
9	6020190066-5	Repair Kit For Hydraulic Cylinders "D.A" 1.5/8" X 3.1/4"	1

• Stickers




Item	Code	Product description	All
1	6020071025-0	Sticker Sp-Baldan (620 X 75Mm)	1
2	5206010310-0	Sticker Disc Warning (150 X 95Mm)	1
3	6020070886-8	Sticker Lubricate And Retighten (58 X 195Mm)	1



Item 1



Item 2



Item 3



Avenida Baldan, 1500
Nova Matão
15.993-900
Matão/SP - Brasil
sac@baldan.com.br
export@baldan.com.br

+55 16 3221 6500
baldan.com.br